



BHAVANI PHARMA CHEM PVT. LTD.

PLOT NO:832/P/D,,NR. KOTHARI CROSS ROAD,,SANTEJ, TAL:KALOL-382721
REG.OFF.: PLOT NO:832/P/D,,NR. KOTHARI CROSS ROAD,,SANTEJ, TAL:KALOL-382721
C.I.No. : U24230GJ2008PTC055241

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : SERTABET CREAM 10 GM	A.R. No. : FP2324704
Packing : 10 GM	Rel. Dt. : 23-09-2023
Generic Name : SERTAONAZOLE NITRATE CREAM 2% IP	T.R. Slip No. : SBPAP23704
Product Code : SERT06	T.R. Slip Dt. : 22-09-2023
Batch No. : 514	Analysis Date : 23-09-2023
Actual Batch Size : 125KG	Specification No. : FPS/2085
Mfg. Dt. : 09/2023	Specification Dt. : 12-09-2023
Exp. Dt. : 08/2025	
Test Packing : 12 TUBE	
Mfg. Lic No. : G/25/2135	
Sample Size : 12.000TUBE	
Released Qty : 125.000KG (12500 TUBE)	
Test As Per : IP	
Location : SANTEJ	
Make : BHAVANI	

Sr.	Test	Result	Specification
1	DESCRIPTION	White colour cream filled in printed 10 gm lami tube.	White colour cream filled in printed 10 gm lami tube.
2	IDENTIFICATION	Complies	As per IP By Assay
3	PH	2.78	Between 2.0 to 4.5
4	UNIFORMITY OF WEIGHT	Complies	91% to 109%
5	ASSAY	2.0322 %W/W 101.61 %	Sertaconazole Nitrate I.P 2.0 %W/W [Limit : 90% to 110%]

Conclusion : The above sample complies as per IP
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analyst	QC Incharge
AVANI VAKHARIA QC CHEMIST	URMILA M PATEL MANAGER QA & Q.C.