

CERTIFICATE No.: FP232129 Quality Control Department.	ACME LIFE TECH-LLP Plot No.103,104,105-EPIP Phase-1,Jharmajri Baddi Tehsil Nalagarh,Dist.Solan.(H.P)
--	--

CERTIFICATE OF ANALYSIS

PRODUCT NAME : ATARISE-25 TABLET GENERIC NAME: HYDROXYZINE TABLETS IP 25 mg	
BATCH No. : ALT230600B	BATCH SIZE : 12.00 LACS
MFG. DATE : OCT.2023	EXP DATE : SEP.2026
DATE OF SAMPLING : 12/10/2023	SAMPLE QTY : 140 TABLETS
DATE OF ANALYSIS : 12/10/2023	DATE OF RELEASE : 17/10/2023
REFERENCE SPECIFICATION No.: IP	

SR.No.	TEST	RESULT	SPECIFICATION
1	Description	White coloured capsule shaped biconvex film coated tablets plain on one side & break line on the other side.Packed in blister packing.	White,to off white coloured capsule shaped biconvex film coated tablets plain on one side & break line on the other side.Packed in blister packing.
2	Identification	Complies	The retention time of major peaks in the chromatogram of the sample preparation corresponds to that of the major peaks in the chromatogram of the standard preparation as obtained in the assay.
3	Average weight	0.1236 gm	0.1240 gm \pm 3% (0.1200gm to 0.1280gm)
4	Uniformity of weight	0.1202 gm to 0.1281 gm	\pm 7.5% of Avg. weight.
5	Uniformity of Length	10.13 mm to 10.18 mm	Bet. 10.00 mm & 10.60 mm
6	Uniformity of thickness	2.63 mm to 2.69 mm	Bet. 2.60 mm & 3.20 mm
7	Uniformity of Width	4.09 mm to 4.14 mm	Bet. 4.00 mm & 4.60 mm
8	Disintegration time	6 Minutes. 50 Seconds.	NMT 30 Minutes.
9	Dissolution	Min.:86.64% , Max.: 91.13%	NLT 80 %
10	Related Substances	Ind. impurity : 0.020% Total. impurity : 0.020%	Ind. impurity : NMT 0.2% Total. impurity : NMT 0.5%
11	Assay : Each film coated tablet contains: Hydroxyzine Hydrochloride IP -----25 mg	24.912 mg /tab i.e. 99.65%	95.0% to 105.0%

Remarks : In the opinion of the undersigned the sample referred above complies / ~~Does not~~ complies as per finished product specification.

Analyzed By

[Signature]

Checked By

[Signature]

Approved By

[Signature]

Format No: SOP/QC/017/F05-00