

CERTIFICATE No.: FP232324

Quality Control Department.

ACME LIFE TECH-LLP

Plot No.103,104,105-EPID Phase-1,Jharmajri Baddi
Tehsil Nalagarh,Dist.Solan.(H.P)

CERTIFICATE OF ANALYSIS

PRODUCT NAME : DIGEHEAL MPS TABLET

GENERIC NAME: DRIED ALUMINIUM HYDROXIDE,MAGNESIUM HYDROXIDE, MAGNESIUM
ALUMINIUM SILICATE HYDRATE& SIMETHICONE CHEWABLE TABLETS

BATCH No. : ALT230620

BATCH SIZE : 5.10 Laes

MFG. DATE : OCT.2023

EXP DATE : SEP.2025

DATE OF SAMPLING : 26/10/2023

SAMPLE QTY : 140 TABLETS

DATE OF ANALYSIS : 26/10/2023

DATE OF RELEASE :04/11/2023

REFERENCE SPECIFICATION No.: FPS/D-10

SR.No.	TEST	RESULT	SPECIFICATION
1	Description	Pink coloured, circular, flat bevelled uncoated tablets having central break line on both sides, with a sweet taste & Mint flavor.	Pink coloured, circular, flat bevelled uncoated tablets having central break line on both sides, with a sweet taste & Mint flavor.
2	Identification	Complies	For Dried Alumunium hydroxide gel, Magnesium hydroxide and Simethicone.
3	Average weight	1031.1 mg	1030mg $\pm$ 5% (978.5 mg to 1081.5 mg)
4	Uniformity of weight	1007.8 mg to 1052.5 mg	Not more than two of the individual weight deviates from the average weight by more than 5.0% and none deviates by more than 10.0%
5	Uniformity of diameter	14.40 mm to 14.45 mm	Bet. 14.20 mm & 14.60 mm
6	Uniformity of thickness	4.24 mm to 4.32 mm	Bet. 4.10 mm & 4.70 mm
7	Uniformity of hardness	7.92 Kg/cm ² to 10.35 Kg/cm ²	NLT 3.0 Kg/cm ²
8	Friability	0.32 % w/w	NMT 1% w/w
9	Assay : For Aluminium For Magnesium *For Activated Dimethicone	97.35 mg/tab 24.00 mg/tab 25.13 mg/tab	Not less than 80.0 mg /tab Not less than 12.0 mg /tab Not less than 22.5 mg /tab

Remarks : In the opinion of the undersigned the sample referred above complies as per finished product specification. *Tested By Auriga Research AR.No.: BD202310270045

Analyzed By *P. 04/11/2023*

Checked By *P. 04/11/2023*

Approved By *04/11/2023*

Format No: SOP/QC/017/F05-00