



OM BIOMEDIC PVT LTD

PLOT NO : 68,69,82 & 83,SECTOR 6A,IIE,SIDCUL,HARIDWAR-249403
REG.OFF.: 134/5 H.T.M ROAD NEAR SECTOR 1&4,RAIPUR LANE-HISAR HARYANA PIN-125001,HISAR-
C.I.No. : U85110HR2005PTC040863

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name	: OFLOHEAL-D 10 ML EYE DROP	A.R. No.	: LE-23007
Packing	: 10 ML	Rel. Dt.	: 06-01-2024
Generic Name	: OFLOXACIN WITH DEXAMETHASONE EYE/EAR DROP	T.R. Slip No.	: FTREED0121
Product Code	: OFLO22	T.R. Slip Dt.	: 29-12-2023
Batch No.	: EL23-07	Analysis Date	: 29-12-2023
Actual Batch Size	: 212 LTR (20990 DROP)		
Packing Batch Size	: 212 LTR		
Sample Size	: 20.000 DROPS		
	Mfg. Dt. : 12/2023		
	Exp. Dt. : 11/2025		
	Test Packing: 1 DROPS		
	Mfg. Lic No. : 138/UA/SC/P2007		
	Test As Per : IP		
Remarks :		Location	: HARIDWAR
		Make	: OMBPL

Sr.	Test	Result	Specification
1	DESCRIPTION	Clear Light Yellowish solution filled in white colour plastic vial. Properly sealed and labelled.	Clear Light Yellowish solution filled in white colour plastic vial. Properly sealed and labelled.
2	EXTRACTABLE VOLUME	10.0 ml	10.0 ml
3	PARTICULATE MATTER	Complies	No any particle unaided eye
4	STERILITY (14DAY)	complies	Comply
5	IDENTIFICATION BY UV	Positive for : Ofloxacin & Dexamethasone Sodium Phosphate	Positive for : Ofloxacin & Dexamethasone Sodium Phosphate
6	PH	7.54	6.0 to 8.0
7	ASSAY	1)0.302%w/v 2)0.101%w/v	1) Ofloxacin IP 0.3%w/v [Limit :] 0.27 - 0.33%w/v 2) Dexamethasone Sodium Phosphate IP 0.1%w/v [Limit :] 0.09 - 0.11 %w/v

Conclusion : The above sample complies as per IP
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analysed By

Approved By