

astonea

ASTONEA LABS LTD.

Vill. Haripur, Teh. Raipur Rani, Distt. Panchkula -134204.

CERTIFICATE OF ANALYSIS

Product Name	Hexisure Plus Mouthwash		
Generic Name	Chlorhexidine Gluconate ,Sodium Fluoride & Zinc chloride Solution		
Batch No.	ADE24344B	A.R No.	AL/FGE240443
Mfg. Date	May - 2024	Batch Size	5000 Nos
Exp.Date	Apr - 2026	Sample Received on	13.07.2024
Sample quantity	12 Nos	Release Date	13.07.2024

S.No.	Tests	Specification	Results
1.	Description	A sky blue color liquid	A sky blue color liquid
2.	Average volume	100.0 ml $\pm$ 4.5 %	100.6 ml
3.	Volume variation	$\pm$ 4.5 % of Average weight	-2.58 % to +1.39 %
4.	pH	3.00 - 7.00	4.774
5.	Assay		
a.	Chlorhexidine Gluconate Solution IP 0.2 % w/v	90.0 % to 110 %	100.30 %
b.	Sodium Fluoride IP 0.05 %w/v	90.0 % to 110 %	99.90 %
c.	Zinc chloride IP 0.09 % w/v	90.0 % to 110 %	101.25 %

Remarks: The above sample complies/ does not comply with prescribed standards of quality with respect to above tests as per IP/BP/USP /IHS Specification.

Analyzed by

B
13/07/24

Checked by

13/07/24

Approved by