

ASTONEA LABS LTD.

Vill. Haripur, Teh. Raipur Rani, Distt. Panchkula -134204.

CERTIFICATE OF ANALYSIS

A.R No. AL/FGC240387

Product Name	Hairfree Hair Removal cream	Batch No.	AOC24450
Mfg. Date	Jun - 2024	Batch Size	30000 Nos
Exp.Date	May - 2026	Sample Received on	13.07.2024
Sample quantity	12 Nos	Release Date	20.07.2024

S.No.	Tests	Specification	Results
1.	Description	A white to off white colour soft mass	Off white colour soft mass
2.	pH	12.50 to 13.50	12.736
3.	Average weight	25.0 gm $\pm$ 9.0 %	25.1005 gm
4.	Weight variation	$\pm$ 9.0 % of Average weight	-0.21 % to + 0.08 %
5.	Microbial count		
	Total aerobic microbial counts	NMT- 10^2 cfu/gm	30 cfu/gm
	Total combined molds & yeasts counts	NMT- 10^1 cfu/gm	< 10 cfu/gm
	<i>Staphylococcus aureus</i>	Should be absent	Absent/gm
	<i>Pseudomonas aeruginosa</i>	Should be absent	Absent/gm
	<i>Escherichia coli</i>	Should be absent	Absent/gm
	<i>Salmonella sps</i>	Should be absent /10 gm	Absent/10 gm

Remarks: The above sample complies/ does not comply with prescribed standards of quality with respect to above tests as per IP/BP/USP /IHS Specification.

Analyzed by

Checked by

Approved by