

GST No. : 24AADCR6039C1ZP  
Mfg. Lic. No. : GC/1017, G/25/1835

Subject to Ahmedabad Jurisdiction

*A House of Quality Products*

(AN ISO & GMP CERTIFIED COMPANY)

**RB** *Rajvi Biotech Pvt. Ltd.*

### Certificate of Analysis

|                        |                                               |                                                                        |
|------------------------|-----------------------------------------------|------------------------------------------------------------------------|
| Certificate No:CP/0343 | Report Date : 31/07/2024                      | Sample Received on : 30/07/2024                                        |
| Name of sample         | <b>FEM-O-FRESH HYGIENE<br/>CLEANSER 100ML</b> | Qty received : <b>3 PCS X 100 ML</b><br>Mfg Licence No: <b>GC/1017</b> |
| Lot / Batch No         | 178                                           |                                                                        |
| Batch Size             | 220 LTR                                       |                                                                        |
| Date of Manufacturing  | Jul-24                                        |                                                                        |
| Date of Expiry         | Jun-26                                        |                                                                        |

#### Analysis Results :

| No. | Test Parameter             | Results  | Specification                                                                                                                                                    |
|-----|----------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | DESCRIPTION.               |          |                                                                                                                                                                  |
|     | PACKING                    | COMPLIES | Clear liquid filled in 100 ML Boston round white bottle with white spray pump and transparent cap in a box. And 20 ml liquid filled in white IBM bottle in a box |
| 2   | Physico Chemical Parameter |          |                                                                                                                                                                  |
|     | pH                         | 3.5      | 3.4 to 3.6                                                                                                                                                       |

Conclusion : The above sample compile as per I.H.S

Analyst

  
Q.C. CHEMIST

QC Incharge

  
Q.C. CHEMIST