

A/C of HEALING PHARMA

Certificate of Analysis

(Finished Product)

Product	TRETIHEAL 0.05 % (Tretinoin Cream USP)	A. R. No.	FP/24/568
Batch No.	323	Mfg. Date	Sep 2024
Batch Size	500.0 Kgs	Exp. Date	Aug 2027
Sample Quantity	14 Tubes x 20 gm	Date of Sampling	12 Sep 24
		Date of Release	17 Sep 24

Sr. No.	TEST	SPECIFICATION	RESULT
1	Packing Style	1 Tube In One Carton.	1 Tube In One Carton.
2	Description	Tube Containing Light Yellow Coloured Soft Cream.	Tube Containing Light Yellow Coloured Soft Cream.
3	Filled volume	20.0 gm $\pm$ 10%	Complies
4	Microbial Limit Test		
	Total Viable Aerobic Count	NMT 10^2 cfu / gm	00 cfu/gm
	Total Yeast Microbial Count	Should be Absent	Absent
	E.Coli	Should be Absent	Absent
	Salmonella Species	Should be Absent	Absent
	P. aeruginosa	Should be Absent	Absent
	S. aureus	Should be Absent	Absent
5	Composition:		
	Tretinoin USP 0.05 % W/W	90.0 % to 120.0 %	100.4 %
		0.045% w/w to 0.055 % w/w	0.0502 % w/w

Opinion: The above referred sample complies / ~~does not complies~~ as per Drug and Cosmetics Act, 1945 and rules there under as the complying as per USP/I.H.Specification.

Analyst:

Prepared by	Checked by	Approved by
		
QC CHEMIST	QC HEAD	QA HEAD

Format No. : QC/080/F02

Revision No.: 00