



BHAVANI PHARMA CHEM PVT. LTD.

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : SERTABET CREAM 10 GM	A.R. No. : FP2425569
Packing : 10 GM	Rel. Dt. : 16-07-2024
Generic Name : SERTAONAZOLE NITRATE CREAM 2% IP	T.R. Slip No. : SBPAP24569
Product Code : SERT06	T.R. Slip Dt. : 15-07-2024
Batch No. : 482	Analysis Date : 16-07-2024
Actual Batch Size : 125 KG	Specification No. : FPS/2085
Mfg. Dt. : 07/2024	Specification Dt. : 12-09-2023
Exp. Dt. : 06/2026	
Test Packing : 12 TUBE	
Mfg. Lic No. : G/25/2135	
Sample Size : 12.000 TUBE	
Released Qty : 125.000 KG (12500 TUBE)	
Test As Per : IP	
Location : SANTEJ	
Make : BHAVANI	

Sr.	Test	Result	Specification
1	DESCRIPTION	White colour cream filled in printed 10 gm lami tube.	White colour cream filled in printed 10 gm lami tube.
2	IDENTIFICATION	Complies	As per IP By Assay
3	PH	2.67	Between 2.0 to 4.5
4	UNIFORMITY OF WEIGHT	Complies	91% to 109%
5	ASSAY	1.9688 %W/W 98.44 %	Sertaconazole Nitrate I.P. 2.0 %W/W [Limit : 90% to 110%]

Conclusion : The above sample complies as per IP
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analyst	QC Incharge
AVANI VAKHARIA QC CHEMIST	URMILA M PATEL MANAGER Q A & Q.C.

FGANLCERTQA