



OM BIOMEDIC PVT LTD

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : EYEHEAL LUBRICANT EYE DROPS 10 ML
Packing : 10 ML
Generic Name : SODIUM CARBOXYMETHYLCELLULOSE EYE DROP

A.R. No. : OMFPOP240795

Rel. Dt. : 03-08-2024

T.R. Slip No. : FTREED0013

T.R. Slip Dt. : 23-07-2024

Analysis Date : 23-07-2024

Product Code : EYEH01
Batch No. : EF24-04
Actual Batch Size : 265 LTR (26237 VIAL)
Mfg. Dt. : 06/2024
Exp. Dt. : 05/2026
Test Packing : 1 VIAL

Packing Batch Size : 265 LTR
Mfg. Lic No. : 138/UA/SC/P2007

Sample Size : 30.000 VIAL

Released Qty : 265.000 LTR (26237 VIAL)

Test As Per : HH IP

Remarks :

Location : HARIDWAR

Make : OMBPL

Sr.	Test	Result	Specification
1	DESCRIPTION	Clear, colourless solution filled in green colour LDPE vial. Properly sealed & labeled.	Clear, colourless solution filled in green colour LDPE vial. Properly sealed & labeled.
2	IDENTIFICATION	A) Complies. B) Complies. C) Complies.	A) Red or Purple colour is observed. B) A White precipitate is formed. C) The precipitate imparts an intense yellow colour to the flame.
3	PH	7.06	5.00 - 8.00
4	EXTRACTABLE VOLUME	10.4ml.	NLT 10.0ml
5	PARTICULATE MATTER	No any particles observed by unaided eye.	No any particles observed by unaided eye.
6	STERILITY	Complies.	Should Comply.
7	ASSAY	0.506%w/v (101.2%)	Composition: Carboxymethylcellulose Sodium IP 0.5%w/v [Limit: 0.45%w/v - 0.55%w/v][90.0% - 110.0%]

Conclusion : The above sample complies as per HH IP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analysed By

Approved By