

astonea

ASTONEA LABS LTD.

Vill. Haripur, Teh. Raipur Rani, Distt. Panchkula -134204.

CERTIFICATE OF ANALYSIS

Product Name	Hexisure Plus Mouthwash		
Generic Name	Chlorhexidine Gluconate ,Sodium Fluoride & Zinc chloride Solution		
Batch No.	ADE24158	A.R No.	AL/FGE240146
Mfg. Date	Mar - 2024	Batch Size	6000 Nos
Exp.Date	Feb - 2026	Sample Received on	18.03.2024
Sample quantity	12 Nos	Release Date	22.03.2024

S.No.	Tests	Specification	Results
1.	Description	A sky blue color liquid	A sky blue color liquid
2.	Average volume	100.0 ml $\pm$ 4.5 %	101.0 ml
3.	Volume variation	$\pm$ 4.5 % of Average weight	-1.98 % to +1.98 %
4.	pH	3.00 - 5.00	4.595
5.	Assay		
a.	Chlorhexidine Gluconate Solution IP 0.2 % w/v	90.0 % to 110 %	107.41 %
b.	Sodium Fluoride IP 0.05 %w/v	90.0 % to 110 %	99.50 %
c.	Zinc chloride IP 0.09 % w/v	90.0 % to 110 %	100.08 %

Remarks: The above sample complies/ does not comply with prescribed standards of quality with respect to above tests as per IP/BP/USP/INS Specification.

Analyzed by

P
22/03/24

Checked by

S
22/03/24

Approved by

S
22/03/24