DAFFOHILS LABORATORIES PVT. LTD.

(A WHO-GMP, GLP Certified Company)

F-109-110, UPSIDC Industrial Area, Central Hope Town, Selaqui, Dehradun U.K. - 248 011 INDIA.

CERTIFICATE OF ANALYSIS

Quality Control Department

(The Drugs & Cosmetics Act 1940 and rules made there under)

Mfg. Lic. No. 107/UA/2007 & 113/UA/SC/P-2007

DAFFOHILS

Product Name	**AMOXYHEAL-CV DRY SYRUP**		
Generic Name	Amoxycillin & Potassium Clavulanate Oral Suspension IP		
Batch No.	DLBS-152	**Batch Size**	5000 Bottles
Mfg. Date	10/2023	**Exp. Date**	03/2026
Report No.	DLBS/10/152/2023	**Specification No.**	DQC/SP/FP/147
Ref. No.	B014	**Sampled Qty**	5 Bottles
Date of Sampling	28/10/2023	**Date of Release**	30/10/2023

S. No.	Test / Parameter	Specification	Observation
1.	**Description**	White colored powder filled in transparent glass bottle on reconstitution with water, forms orange color suspension.	White colored powder filled in transparent glass bottle on reconstitution with water, forms orange color suspension.
2.	**Identification**	Should be positive for Amoxycillin Trihydrate & Potassium Clavulanate	Positive for Amoxycillin Trihydrate & Potassium Clavulanate
3.	**Nominal fill Weight powder**	3.3 g	3.319 g
4.	**Average fill Weight**	NLT 3.3 g	Complies
5.	**Nominal Fill Volume**	30.0 ml	30.07 ml
6.	**pH(after reconstitution)**	3.8 to 6.6	6.26
7.	**Water**	NMT 8.5%	6.6%
8.	**Weight/ml (after reconstitution)**	1.00 g/ml to 1.40 g/ml	1.114g/ml
9.	**Assay:**		

Each 5ml (after reconstitution) suspension contains:	**Label Claim**	**Result**	**Percentage**	**Limit**
Amoxycillin Trihydrate IP Eq. to Amoxycillin	200 mg	197.12 mg	98.56%	180.0 mg to 240.0 mg (90.0% to 120.0%)
Potassium Clavulanate Diluted IP Eq. to Clavulanic Acid	28.5 mg	28.04 mg	98.39%	25.65 mg to 35.62 mg (90.0% to 125.0%)

REPORT: The sample complies /~~Does not comply~~ as per IP/In-house Specification.

Prepared By: (QC.Officer)		Checked By: (QC. Executive)		Approved By: (QC. Manager)	
Signature:		Signature:		Signature:	
Date:	30/10/23	Date:	30/10/23	Date:	30/10/23

DAFFOHILS LABORATORIES PVT. LTD. QUALITY CONTROL DEPARTMENT APPROVED