

A/C OF HEALING PHARMA INDIA PVT LTD

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER



FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name	: CLEARLAX	A.R. No.	: F/3364/2324
Packing	: 30x10 TAB	Rel. Dt.	: 21-02-2024
Generic Name	: BISACODYL TABLETS IP 5 MG	T.R. Slip No.	: CHPAP23245
Product Code	: TC-174HEAL	T.R. Slip Dt.	: 19-02-2024
Batch No.	: TC-1740010	Analysis Date	: 19-02-2024
Actual Batch Size	: 500000 TAB	Specification No.	: CRFS/TC-174HEAL/2021
	Mfg. Dt. : JAN-2024	Specification Dt.	: 20-03-2021
	Exp. Dt. : DEC-2026	STP No.	: STP/TC-174HEAL/IAS PER IP
	Test Packing : 30X10 TAB	Location	: GORWA01
	Mfg. Lic No. : G/25A/5141-A	Make	: HEALING
Sample Size	: 50.000 TAB		
Released Qty	: 500000.000 TAB (1666 CAR)	Test As Per	: IP
Remarks	: pass		

Sr.	Test	Result	Specification
1	DESCRIPTION	A yellow coloured, round shaped, biconvex, enteric coated tablet, plain on both sides.	A yellow coloured, round shaped, biconvex, enteric coated tablet, plain on both sides.
2	IDENTIFICATION	Complies.	Must Complies as per IP
1	BY COLOUR DEVELOPMENT	A white precipitates is produce.	A white precipitates should produce.
2	BY COLOUR DEVELOPMENT	A reddish violet colour is produced.	A reddish violet colour should produce.
3	BY COLOUR DEVELOPMENT	A yellowish brown colour is produced.	A yellowish brown colour should produce.
3	AVERAGE WEIGHT OF TABLETS	114.42 mg	113.98 ± 7.5% of avg. weight.
4	UNIFORMITY OF WEIGHT	H.L.: +1.73% L.L.: -2.90%	Within ± 7.5% of avg. weight
5	THICKNESS	3.22 mm	3.20 mm ± 0.3 mm
6	DIAMETER	6.24 mm	6.20 mm ± 0.2mm
7	DISINTEGRATION TIME	1) In 0.1 m HCL: no sign of disintegration or cracks within 2 hr. 2) 12 Minutes 35 seconds [In phosphate buffer pH 6.8]	1) In 0.1 m HCL: should not sign of disintegration or cracks within 2 hr. 2) NMT 60 MIN [In phosphate buffer pH 6.8]
8	UNIFORMITY OF CONTENT	Max: 102.19% Min: 99.98% avg: 101.36%	85.0% TO 115.0%
9	DISSOLUTION	1) In Acid Stage: NIL 2) In Buffer Stage : 111.50 %	1) In Acid Stage: NMT 10.0 % 2) In Buffer Stage : NLT 75.0 % (Q)
10	RELATED SUBSTANCES	Complies	Must complies as per IP
11	ASSAY BY HPLC	103.06%	Each enteric- coated Tablet Contains: Bisacodyl IP..... 5 mg [LIMIT : 95.00% TO 105.00%]

Conclusion : The above sample complies as per IP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By	Checked By	Approved By
 NAVAZSHARIF G SAIYAD QC OFFICER	 MANISHA EXECUTIVE	 ASMITA QUALITY HEAD

NIKITA2023 24-02-24 12:04 PM

FGANLCERTQA