




	YACCA PHARMACEUTICALS PVT. LTD. 11TH KM. STONE, DEHRADUN ROAD, ROORKEE -247 667 (U.K.), INDIA
Title	FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Generic Name : ALUMINIUM , MAGNESIUM & SIMETHICONE ORAL SUSPENSION IP			
Name of Product : DIGEHEAL MPS SUSPENSION			
A.R. No.	YFL-500/24-25	Sample Date	08/10/2024
Batch No.	US-4364	Sampled Qty.	10 X 200 ML.
Reference Batch No.	S4L1274B573	Mfg. Date	10/2024
Batch Size	3600.0 LTRS	Exp. Date	09/2026
Spec. No.	QC/STS/F/135	Release Date	14/10/2024
Mfg. Lic. No.	40/UA/2006	Release Qty.	3600.0 LTRS

Sr. No.	TEST	SPECIFICATION	RESULTS
1.	Description	Pink coloured thick suspension, filled in clear colour pet bottle.	Complies
2.	Identification	A) By FT-IR B & C by Chemical	Complies Complies
3.	pH (at 25°C)	Between 7.0 to 8.6	7.81
4.	Weight/ml pH (at 25°C)	Between 1.000 gm/ml. to 1.300 gm/ml.	1.073 gm/ml.
5.	Nominal fill volume	Not less than 200.0 ml.	200.0 ml.
6.	Average fill volume	Not less than 200.0 ml.	200.5 ml.
7.	Uniformity of fill volume	Limits $\pm$ 4.5%	Within limits
8.	Neutralizing Capacity	Should be comply the test	Complies
9.	Assay: Each 5 ml contains:		
	Dried Aluminum Hydroxide IP... 200 mg.	NLT-180.00 mg and NMT- 220.00 mg.	209.41 mg.
	Magnesium Hydroxide IP... 200 mg.	NLT- 180.00 mg and NMT- 220.00 mg.	202.04 mg.
	Simethicone IP ... 25 mg.	NLT- 21.25 mg and NMT- 28.75 mg.	26.22 mg.
10.	Total Aerobic count	NMT – 100 cfu / ml	25 cfu / ml
	E. coli	Should be absent / ml	Absent / ml
Remarks: The above sample is of standard / not of standard quality as per the I.H./IP/BP/USP specification.			
Analyzed by (Sign & Date)  14/10/2024		Checked by (Sign & Date)  14/10/2024	
Approved by (Sign & Date)  14/10/2024			