

A/C of HEALING PHARMA

Certificate of Analysis (Finished Product)

Product	MINOXYTOP 10 % - 60 ML	A. R. No.	FP/24/0391
Batch No.	204	Mfg. Date	May 2024
Sample Quantity	10 Bot x 60 ml	Exp. Date	Apr 2026
		Date of Sampling	08 Jun 24
		Date of Release	13 Jun 24

Sr. No.	TEST	SPECIFICATION	RESULT
1	Packing Style	White coloured 60 ml Spray bottle with one dropper such a one bottle Packed in a carton with insert.	White coloured 60 ml Spray bottle with one dropper such a one bottle Packed in a carton with insert.
2	Description	Bottle Containing Slight yellowish liquid.	Bottle Containing Slight yellowish liquid.
3	Filled volume	60 ml $\pm$ 10 %	Complies
4	Microbial Limit Test		
	Total Viable Aerobic Count	NMT 10 ² cfu / gm	00 cfu/ml
	Total Yeast Microbial Count	Should be Absent	Absent
	E.Coli	Should be Absent	Absent
	Salmonella Species	Should be Absent	Absent
	P. aeruginosa	Should be Absent	Absent
	S. aureus	Should be Absent	Absent
5	Composition :		
	Minoxidil I.P. : 10 % W/V	90.0 % to 110.0 %	100.14 %
		9.0 % W/V to 11.0 % W/V	10.014 % W/V

Opinion: The above referred sample complies / ~~does not complies~~ as per Drug and Cosmetics Act, 1945 and rules there under as the complying as per **I.H.Specification**.

Analyst: Jay

Prepared by	Checked by	Approved by
(V)	WZ	P
QC CHEMIST	QC HEAD	QA HEAD