



ALVENTA PHARMA LIMITED

VILL. KISHANPURA, TEHSIL BADDI- NALAGARH ROAD, DISTT.- SOLAN (H.P) 174101

Quality Control Department

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

Product Name	Clopidrill-75	A.R. No.	FG/G/24A1322
Generic Name	Clopidogrel Tablets IP 75 mg	Sample Quantity	75 Tablets
Batch No.:	AGT40831	Sample Received on	21/09/2024
Batch Size:	2.20 Lac	Analysis Date	21/09/2024
Mfg. Date.	08/2024	Release Date	29/09/2024
Exp. Date	07/2026	Page No.:	Page 1 of 1

Sr. No.	Test Parameter	Acceptance Criteria	Result		
1.	Description	Brick red colour, round shaped, biconvex, both side plain, film coated tablet.	Brick red colour, round shaped, biconvex, both side plain, film coated tablet.		
2.	Identification	In the assay, the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution.	Complies		
3.	Average weight	307.00 mg ± 3%	308.99 mg		
4.	Uniformity of weight	± 5.0% of its average weight.	Min: 301.45 mg ; Max: 316.45 mg - 2.44% ; + 2.41%		
5.	Disintegration	Not more than 30 minutes.	05 minutes 10 seconds.		
6.	Hardness	Not less than 4.0 Kg/cm ²	7.25 Kg/cm ²		
7.	Dissolution	Not less than 80.00 % (Q)	Minimum = 90.94 % Maximum = 94.20 % Average = 92.25 %		
8.	Assay:				
	Each film coated tablet contains:	Claim	Limit	mg	%
	Clopidogrel Bisulphate IP Eq. to Clopidogrel	75 mg	Between 90.00 % to 110.00 % of label amount. Between 67.50 mg to 82.50 mg	75.90 mg	101.20%
9.	Microbial Limit Tests:				
i.	Total aerobic microbial count	NMT 1000 cfu/g		40 cfu/g	
ii.	Total yeast and mould count	NMT 100 cfu/g		Less than 10 cfu/g	
iii.	Pathogens: Escherichia coli	Should be absent/g		Absent/g	

Remarks: The above test parameters are complies/ not complies as per IP/BP/USP & In-House Specification.

Particulars	Prepared By	Checked By	Approved By
Name	Praveen Kumar	Tanvej	Shashi Kumar
Designation	Executive	Sr. Executive	QA Manager
Signature			
Date	29/09/2024	29/09/2024	29/09/2024