



DR PATEL PHARMACEUTICALS PVT. LTD.
PLOT NO.4 , SHAH INDUSTRIAL PHASE-2, LAMDAPURA, MANJUSAR.
DIST.-VADODARA-391775 (GUJARAT)

QUALITY CONTROL DEPARTMENT

FINISH PRODUCT CERTIFICATE OF ANALYSIS

Name of Product	Healtuss DX15 syrup 100ml		
Batch No.	DL4D019	A.R.No.	FP2425 38
Mfg. Date	04/2024	Date of Testing	03-05-2024
Exp. Date	03/2026	Date of Release	09-05-2024

SR.NO.	TESTS	RESULT	SPECIFICATION
1	Description	An Orange color liquid.	An Orange color liquid.
2	Uniformity of Volume	Complies	100 ml $\pm$ 1 %
3	Filled volume	Complies	NLT 100 ml
4	pH	4.6	4.0 to 6.0
5	Assay	101.59 98.12 99.26	Each 5 ml content: chlorpheniramine Maleate IP... 2mg Dextromethorphan HBr...15mg Phenylephrine Hcl...5mg 110
6	Microbial Contamination	Complies	Microbial contamination 1) Total Bacterial count: Limit: NMT 100 cfu/ml 2) Total Fungal count: Limit: NMT 10 cfu/ml Pathogen E. Coli Salmonellae Staphylococcus aureus P. aeruginosa Limit: All pathogen should be absent per ml.

Conclusion: The Sample is complies / does not complies as per IP / BP / USP / IH Specification.

Analyzed By: 	Checked By: 	Approved By: 
Date: 09/05/2024	Date: 09/05/2024	Date: 09/05/2024