



INNOVA CAPTAB LTD
1281/1, HILLTOP INDUSTRIAL ESTATE, NEAR EPIP PHASE-I,
JHARMAJRI, BADDI (HP) INDIA

Certificate of Analysis

Product Name: Sitasmart-M 50/500

Generic Name	Sitagliptin & Metformin Hydrochloride Tablets	Packing Code	G7680006
Batch Log No	32446122	Packing Batch No	G7684010B
Bulk Batch No	G7684010	Batch Size	5.0 Lac
Packing Type	(10*2*15)Tabs	Date of Analysis	17/10/2024
A.R. No.	2003FP324005329	Reference	In house
Mfg. Date	10/2024	Exp. Date	09/2026
Specification No	FPS-G768-00	Date of Release	24/10/2024

S. No.	TEST	SPECIFICATION	RESULT
1	Description	Pink colour biconvex, capsule shaped, film coated tablet having break line on one side & plain on other side.	Pink colour biconvex, capsule shaped, film coated tablet having break line on one side & plain on other side.
2	Identification (By HPLC) For Sitagliptin & Metformin HCl	The retention times of the peaks of sample solution should correspond to those of the standard solution, as obtained in the Assay.	The retention times of the peaks of sample solution should correspond to those of the standard solution, as obtained in the Assay.
3	Average weight	720.0mg $\pm$ 5.0%	718.23 mg
4	Uniformity of weight	$\pm$ 5.0% of average weight	%Maximum +ve deviation : 1.3 % %Maximum -ve deviation:-2.6 %
5	Disintegration time	Not more than 30 minutes	Disintegration time:9.12 Minutes
6	Dissolution		
6.1	For Sitagliptin	Not less than 70% (Q) of the labeled amount of Sitagliptin should be dissolved in 30 minutes.	Min : 99.9 % Max : 100.3 % Average::100.0 %
6.2	For Metformin Hydrochloride	Not less than 70% (Q) of the labeled amount of Metformin Hydrochloride should be dissolved in 30 minutes.	Min : 100.8 % Max : 104.4 % Average::101.6 %
7	Related Substances (By HPLC) For Metformin Hydrochloride		
7.1	Dicyandiamide	Not more than 0.02% w/w	Not detected
7.2	Any other secondary peak	Not more than 0.1%	Not detected
8	Related Substances (By HPLC) For Sitagliptin		
8.1	Single maximum impurity	Not more than 0.2%	Not detected
8.2	Total impurities	Not more than 0.5%	Not detected
9	Assay-Each Film Coated tablet contains:		
9.1	Sitagliptin Phosphate Monohydrate IP equivalent to Sitagliptin:.....50mg	47.50mg to 52.50mg (95.0% to 105.0% of Labeled claim)	Assay % of Label Claim : 98.3 %

Remarks: APPROVED (Sample conforms to above Specification)

...

Prepared By	Reviewed By	Approved By
ranjit.nayak(Analyst)	omprakash.sharma(Manager)	Mahendra.Bisht(Manager)
24/10/2024 12:03	24/10/2024 12:05	24/10/2024 12:18
Printed By: omprakash.sharma		Printed On: 24/10/2024 13:00
Copy No.: 1		Page No.: 1 of 2
Note: This document has been generated electronically with E-Signature.		
CNo.: C240005824		
Format No.: SOP/GQC/027/F/02-02		



INNOVA CAPTAB LTD
1281/1, HILLTOP INDUSTRIAL ESTATE, NEAR EPIP PHASE-I,
JHARMAJRI, BADDI (HP) INDIA

Certificate of Analysis

Product Name: Sitasmart-M 50/500

Generic Name	Sitagliptin & Metformin Hydrochloride Tablets	Packing Code	G7680006
Batch Log No	32446122	Packing Batch No	G7684010B
Bulk Batch No	G7684010	Batch Size	5.0 Lac
Packing Type	(10*2*15)Tabs	Date of Analysis	17/10/2024
A.R. No.	2003FP324005329	Reference	In house
Mfg. Date	10/2024	Exp. Date	09/2026
Specification No	FPS-G768-00	Date of Release	24/10/2024

S. No.	TEST	SPECIFICATION	RESULT
9.2	Metformin Hydrochloride IP..... 500m	475.00mg to 525.00mg (95.0% to 105.0% of Labeled claim)	Assay:mg/Tab:49.14 mg/tab Assay % of Label Claim: : 101.0 % Assay:mg/Tab:504.94 mg/tab

Remarks: APPROVED (Sample conforms to above Specification)

--

Prepared By		Reviewed By	Approved By
ranjit.nayak(Analyst)		omprakash.sharma(Manager)	Mahendra.Bisht(Manager)
24/10/2024 12:03		24/10/2024 12:05	24/10/2024 12:18
Printed By: omprakash.sharma		Printed On: 24/10/2024 13:00	
Copy No.: 1		Page No.: 2 of 2	
Note: This document has been generated electronically with E-Signature.			
CNo.: C240005824			
Format No.: SOP/GQC/027/F/02-02			